

Safety Data Sheet (SDS)

Revision Date: 02/2021

Section 1: Product and Company Identification

Product Name: Terroxy® Resin Systems — 2K Urethane Top Coat, Part B

Product Use Description: Curing Agent, 2K Urethane Top Coat

Company: Terrazzo & Marble Supply Companies

77 South Wheeling Road Wheeling, Illinois 60090

 Telephone:
 847.353.8000

 Emergency Telephone:
 800.424.9300 - USA

01.703.527.3887 - International

Section 2: Hazards Identification

Classification of the mixture: Skin sensitization – Category 1

Eye irritation – Category 2A

Respiratory sensitization – Category 1

Classification according to Regulation (EC) No 1272/2008

GHS Label elements:

Hazard Pictogram:





Signal Word: Warning

Hazard Statements: H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation

Precautionary Statements: P261 Avoid breathing mist/vapors/spray

P264 Wash hands and skin contact areas thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P285 In case of inadequate ventilation wear respiratory protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep

P305, P351, P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do, continue rinsing

P310: Immediately call a POISON CENTER or doctor/physician

P333, P313 If skin irritation or rash occurs: Get medical advice/attention P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P362 Take off contaminated clothing and wash before reuse

P391 Collect spillage

P501 Dispose of content/container through a waste management company authorized by

the local government

Other hazards not classified: None Known

Section 3: Composition / Information on Ingredients

This product is a mixture.

 Component
 CAS#
 Amount

 HDI Homopolymer
 28182-81-2
 93% - 100%

N/E - Not Established

ALL ingredients are registered on TSCA

The remaining components are trade secret.

Substances listed are present in concentration of 1% or greater, or 0.1% if cited as a potential Carcinogen in the OSHA Hazards communication Standard. Where proprietary ingredient is listed, the identity is available as provided in 29 CFR 1910.1200.

Section 4: First Aid Measures

General advice: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor

in attendance.

Eye contact: Flush eyes with plenty of water for at least 15 minutes retracting eyelids often. Tilt the head

to prevent chemical from transferring to the uncontaminated eye. Get immediate medical

attention.

Skin contact: Wash off with soap and plenty of water. Consult a physician.

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a

physician.

Inhalation: Move to fresh air. Get medical attention if effects persist.

Section 5: Fire Fighting Measures

Suitable extinguishing media: Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical Water Spray

Specific hazards: Nature of decomposition products not known.

Special protective

equipment for fire-fighters: Wear self-contained breathing apparatus for firefighting if necessary.

Further information: No data available

800.7.MARBLE Page 2 www.tmsupply.com

Section 6: Accidental Release Measures

Personal precautions: Use self-contained breathing apparatus and chemically protective clothing. Wear suitable

protective clothing, gloves and eye/face protection. Evacuate personnel to safe areas.

Environmental precautions: Construct a dike to prevent spreading.

Methods for cleaning up: Approach suspected leak areas with caution. Contact Terrazzo and Marble Response Center

for advice. Place in appropriate chemical waste container.

Additional advice: If possible, stop flow of product. Avoid contact. Allow only personnel wearing goggles,

neoprene or rubber gloves and protective clothing to clean up spill. In confined areas a full face respirator is recommended. Absorb spill with clay, diatomaceous earth or other

absorbent materials. Place in disposal containers.

Section 7: Handling and Storage

Handling: Avoid contact with eyes. Avoid contact with skin and eyes. Adhere to work practice rules

established by government regulations. Use personal protective equipment. When using, do

not eat, drink or smoke.

Storage: Do not store near acids. Keep containers tightly closed in a dry, cool and well-ventilated

place. Do not remove labels from empty containers. If mixtures of Part B and Part A are allowed to remain in the mixing container past the pot life deadline, heat and a strong

reaction will result.

Technical Measures

/Precautions: Do not store in reactive metal containers.

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment:

Respiratory Protection: Not required for properly ventilated areas. If vapor or mist is generated and the occupational

exposure limit is exceeded, use appropriate NIOSH/MSHA approved self contained breathing equipment or a full face respirator. Respirators should be selected by and used following

requirements found in OSHA's respirator standards (29 CFR 1910.134).

Ventilation: Mechanical ventilation required if TLV is expected to be exceeded in confined areas.

Hand Protection: Recommend wearing disposable latex or nitrile gloves when mixing to protect against

incidental contact. If continuous contact is expected, recommend butyl rubber gloves be

worn.

Eye Protection: Wear safety glasses with side shields or safety goggles when handling this product. Additionally,

wear a face shield when the possibility of splashing liquid exists. Do not wear contact lens.

Have an eye wash station available.

Skin and Body Protection: Prevent contact with this product. Long sleeve shirts and trouser without cuffs and/or apron

is recommended if splashing liquids exists. Other protective equipment may be needed

depending on condition use.

Exposure Limit:

Chemical Name	OSHA PEL	ACGIH TLV
HDI Homopolymer	Not Established	0.005 ppm

Section 9: Physical and Chemical Properties

Form: Liquid
Color: Light Yellow
Odor: Odorless

Relative density: 1.130 g/cm3 at 68 °F (20 °C)

Vapor pressure: < 0.001 hPa (< 0.001 mmHg) at 68 °F (20 °C)

VOC: 0.00

Density: 9.58 lbs/gallon
Evaporator Rate: Not Established
pH: Not Established
Boiling point/Range: Not Established
Flash point: 338 °F (170°C)
Water solubility: Insoluble

Section 10: Reactivity Data

Stability: Stable under normal conditions.

Conditions to Avoid: No data available

Materials to Avoid: Water, Strong bases, Strong oxidizing agents, Metals, Amines, Alcohols, Surface active

materials

Hazardous

Decomposition Products: No data available

Hazardous Polymerization: Will not occur.

Section 11: Toxicological Information

Chemical Name	Toxicological Dataa
HDI Homopolymer	LC50 > 1.8 mg/L Rat LD50 > 5,000 mg/kg Rat LD50 > 5,000 mg/kg Rabbit

Toxicology Summary: No additional health information available.

Section 12: Ecological Information

Overview: No ecological information available.

Section 13: Disposal Considerations

Waste from residues / unused products:

Dispose in an approved incinerator or an approved landfill. Contact supplier if guidance is

required.

Contaminated packaging: Dispose of container and unused contents in accordance with federal, state, and local

requirements.

Section 14: Transport Information

Consult Bill of Lading for transportation information

DOT: Not Regulated IATA: Not Regulated

Section 15: Regulatory Information

OSHA Hazard Communication Standard (29 CFR 1910.1200) Hazard Class(es) Sensitizer.

Country	Regulatory List	Notification
USA	TSCA	Included on Inventory
EU	EINECS	Included on Inventory
Canada	DSL	Included on Inventory
Australia	AICS	Included on Inventory
Japan	ENCS	Included on Inventory
South Korea	ECL	Included on Inventory
China	SEPA	Included on Inventory
Philippines	PICCS	Included on Inventory

EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification:

Acute Health Hazard, Chronic Health Hazard

EPA SARA Title III Section 313 (40 CFR 372) Component(s) above 'de minimus' level:

None.

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65):

This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other

WHMIS Hazard Classification:

Toxic Material Causing Other Toxic Effects

Section 16: Other Information

HMIS Rating

Health: 3
Flammability: 1
Reactivity: 0
Physical hazard: C

Prepared by Terrazzo & Marble Supply Companies.

Data and recommendations presented herein are based upon ours and other researchers and are believed to be accurate. The products discussed are distributed without warranty (expressed or implied) and the customer shall make his own determination of suitability for his particular purpose.

800.7.MARBLE Page 6 www.tmsupply.com