


RESINOUS FLOORING




Thin Set Flooring Systems_

Thin Set Flooring Systems are a thin mil coating designed to provide a chemical resistant and durable high gloss finish. UV and Chemical resistant grout and top coats form a protective surfacing system which is resistant to wear. Mosaic vinyl flakes and decorative quartz can be incorporated in a clear or pigmented epoxy and sealed with a clear, high gloss, satin, matte, or orange peel finish.




Iso-Flex Flooring Systems_

Iso-Flex Flooring System is a high build 1/16" - 1/8", chemical resistant protective system which utilizes an internally flexible resin and select aggregates to produce a resin rich material that is easily applied with a v-notched trowel or squeegee. Iso-Flex remains flexible while the UV and chemical resistant top coat provides protection that allows the Iso-Flex system to function for many years. Mosaic vinyl flakes can be incorporated in clear or gray impact resistant Terroxy Iso-Crack Membrane. Quartz Decorative aggregate provide the toughness and flexibility while maintaining beauty and durability.



Self-Leveling Slurry Flooring Systems_


Self-Leveling Slurry systems are a high build 1/16" – 3/16" system, chemical resistant, protective, and self-leveling. Utilizing 100% solids binder resins and select aggregates to produce a resin rich material that is easily applied with a v-notched trowel or squeegee. Mosaic vinyl flakes can be incorporated in a clear or pigmented epoxy and sealed with a clear, satin, matte, or orange peel finishes. Adding Decorative quartz results in an aesthetically pleasing, skid resistant, durable flooring system.





Troweled Flooring Systems.

Trowel Flooring Systems are a high build 1/4", chemical resistant & protective resurfacing system. The system utilizes epoxy and silica for other aggregate mortar, high build grout and seal coat and select aggregate for skid resistance. Mosaic vinyl flakes and decorative quartz can be added to the system for additional design options.





Terroxy Industrial Top Coating
Terroxy Industrial Coating
With Broadcast Aggregate

Resin Trowel
Mortar

Terroxy Primer

3/16"-1/4" Skid Resistant Industrial Trowel






3/16"-1/4" Quartz Decorative Trowel

Urethane Concrete Slurry Systems_

Terroxy Urethane Concrete Slurry is a 3/16" - 1/4", self-leveling, medium to heavy duty, pigmented, three component system designed to provide excellent resistance to abrasion, impact, and chemicals. This system is odorless, contains zero VOC's or HAP's and is formulated to reduce pin-holes and out-gassing when curing. The Urethane Concrete system is broadcast with select aggregates or decorative quartz. Optional top coatings can be applied for a variety of finishes. Terroxy Urethane Concrete is available a variety of colors.





Resinous Colors




White, Black, Safety Red, Safety Yellow, & Safety Orange are also available. Additional charges will apply for safety colors. Please contact your sales rep for samples.

Metallic Colors




Quartz Aggregate Blends



Midnight Blue Apgar Green

Mosaic Vinyl Flakes Blends (Available in 1/4", 1/8" & 1/16" Flakes) _



RESINOUS FLOORING



www.tmsupply.com

464 Northgate Parkway Wheeling, IL 60090 p: 847.947.7300 12632 Monarch St. Unit B Garden Grove, CA 92841 p: 714.901.1400 6100 Seaforth St. Baltimore, MD 21224 p: 410.633.6200



www.domusterrazzo.com

5789 Steeles Avenue West Toronto, ON M9L 2W3 p. 416.789.5387